

Technical data sheet

Advanced Engineering Ltd
Guardian House, Stroudley Road
Basingstoke, Hampshire, RG24 8NL. UK
Tel +44(0)1256 460300
www.advancedengineering.co.uk



EasyFinish™

Fascia and case cleaner



Special Features



- Suitable for all fan coil and cassette units

No matter how clean the coil in the evaporator is, a marked, discoloured or grubby-looking case can give the perception of a dirty air conditioning unit. EasyFinish™ is an air conditioning fascia and case cleaner specially formulated to remove nicotine, grease and general grime... Allowing engineers to leave everything clean and tidy.

PRODUCT SPECIFICATION

Name	EasyFinish™
Product Code	S010131GB
Packing Quantity (ml, L)	12 x 600ml
Packing Size (L x H x D cm)	21 x 25 x 27
Shipping Weight (kg)	7.8
Shipping Volume (m³)	0.0160
Soils	N/A

Directions of use



Shake can well before use. Spray onto surfaces to be cleaned, from about 15cm. Allow EasyFinish™ to penetrate grease and grime. Wipe clean with a dry cloth. EasyFinish™ has been tested and found safe for use on most surfaces. If in doubt, test on a non-critical area.

EasyFinish™

UN1950
Warning

EUH208: Contains iso e super, heliotropine, citronellol, coumarin. May produce an allergic reaction. H223: Flammable aerosol. H229: Pressurised container: May burst if heated H317: May cause an allergic skin reaction. P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P211: Do not spray on an open flame or other ignition source. P251: Pressurized container: Do not pierce or burn, even after use. P280: Wear protective gloves/protective clothing/ eye protection/face protection. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. H319: Causes serious eye irritation.

Caution: Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.
Do not pierce or burn, even after use.

